AUTHOR INDEX
1982, Volume 48

ABE H *see* Matsumoto M *et al*
ABINADER E G (& Shahar J) Exercise testing in mitral valve prolapse before and after beta blockade 130
ACKROYD S *see* deGiovanni J V *et al*
ADAMS P C *see* Jennings K *et al*
ADGEY A A J *see* Pringle T H *et al*
AHUJA R C *see* Silke B *et al*
ALTMAN D G *see* Mann S *et al*
ALVARES R F (& Goodwin J F) Non-invasive assessment of diastolic function in hypertrophic cardiomyopathy on and off beta adrenergic blocking drugs 204
AMERY A *see* Vanhees L *et al*
AMLIE J P *see* Landmark K *et al*
ANDERSEN K (& Vik-Mo H) Role of the Frank-Starling mechanism during maximal semisupine exercise after oral atenolol 149
ANDERSON R H Echocardiographic dimensions: correspondence 605
– Hang-out time of pulmonary valve in d-transposition of great arteries; correspondence 302
– *see also* Deanfield J E *et al*
Huhta J C *et al*
Restivo A *et al*
Smallhorn J F *et al*
ANDERSON V *see* Brown A K *et al*
ANSON R CANEPA- *see* Canepa-Anson R
ATKINSON L *see* Richardson P J *et al*

BAIN H H *see* Morrell P *et al*
BALLESTER M *see* Donaldson R M *et al*
BANNISTER R *see* Mann S *et al*
BARDOS P *see* Schweizer P *et al*
BARON M (& Skrinskas G, Hyland R, Urowitz M B) Effects of prostaglandin E_1 and other vasodilator agents in pulmonary hypertension of scleroderma: correspondence 304
BAUERNFEIND R A (& Strasberg B, Rosen K M) Slowing of paroxysmal tachycardia with loss of functional bundle-branch block: case report 75
BAYLISS J (& Norell M, Canepa-Anson R, Reuben S, Poole-Wilson P A, Sutton G C) Interaction between inotropism and vasodilatation in heart failure 93 *P*
BEACH C (& Kenmure A C F, Short D) Electrocardiogram of pure left ventricular hypertrophy and its differentiation from lateral ischaemia: correspondence 85
BEECHING N J *see* Voulgari F *et al*
BEIL U *see* Mathey D G *et al*
BELL J A (& Thomas J M, Isaacson J R, Snell N J C, Holt D W) A trial of prophylactic mexiletine in home coronary care 285
BENMIMOUN E G (& Friedli B, Rutishauser W, Faidutti B) Mitral valve replacement in children. Comparative study of pre- and postoperative haemodynamics and left ventricular function 117
BENNETT J G *see* Donaldson R M *et al*
BERGMAN G *see* Kenny J *et al*
BERNUTH G VON *see* von Bernuth G
BEXTON R S (& Hellestrand K J, Cory-Pearce R, Spurrell R A J, English T A H, Camm A J) Direct electrophysiological effects of disopyramide phosphate–evaluated in denervated human heart 87 *P*
– *see also* Cory-Pearce R *et al*
Hellestrand K J *et al*
Nathan A W *et al*
BINI R M *see* Milanesi O *et al*
BJARNASON I (& Hardarson T, Jonsson S) Cardiac arrhythmias in hypertrophic cardiomyopathy 198
BLEIFELD W *see* Matsumoto M *et al*
BONVICINI M (& Piovaccari G, Picchio F M) Severe subpulmonary obstruction caused by an aneurysmal tissue tag complicating an infundibular perimembranous ventricular septal defect: case report 189
BOYLE R *see* Elamin M S *et al*
British Cardiac Society, 61st Annual General Meeting, Nottingham, April 1982, proceedings, 87
BROOKSBY I A B *see* Williams K N *et al*
BROWN A K (& Anderson V, Gillgren C L) Echocardiographic diagnosis of isolated pulmonary valve endocarditis: correspondence 307
BULLOCK R E (& Hall R J C) Left ventricular function and mitral valve opening in massive pulmonary embolism: case report 413

CACCAVANO M *see* Zema M J and Caccavano M
CAMERON H *see* Restivo A *et al*
CAMM A J *see* Bexton R S *et al*
Cory-Pearce R *et al*
Hellestrand K J *et al*
Nathan A W *et al*
CANEPA-ANSON R *see* Bayliss J *et al*
Ilsley C *et al*
CARBONI G P *see* Lahiri A *et al*
CARMICHAEL D J *see* Mackintosh A F *et al*
CASTELLANOS A (& Ferreiro J, Pefkaros K, Rozanski J J, Moleiro F, Myerburg R J) Effects of lignocaine on bidirectional tachycardia and on digitalis-induced atrial tachycardia with block 27
CHAR G *see* Dianzumba S B and Char G
CHENG T O Mitral valve prolapse and coronary artery spasm: correspondence 301
CLELAND J *see* Pringle T H *et al*
CLITSAKIS D *see* Ilsley C *et al*
COCHRANE T *see* Cory-Pearce R *et al*
COLEMAN E N *see* Reid J M *et al*
COLTART D T *see* Wilmshurst P T *et al*
CORY-PEARCE R (& Bexton R S, Cochrane T, Camm A J, English T A H) Increased atrial pacing threshold in heart transplant rejection 89 *P*
– *see also* Bexton R S *et al*
Mackintosh A F *et al*
COULIBALY A O *see* Metras D *et al*
CRAWLEY J W *see* Lahiri A *et al*
CUMMINS P *see* Voulgari F *et al*
CURRY P V L *see* Davies D W *et al*

D'ALNONCOURT C N (& Zierhut W, Lüderitz B) "Torsade de pointes" tachycardia. Re-entry or focal activity? 213
DALY K (& Richardson P J, Olsen E G J, Pattison J, Jackson G, Jewitt D E) Immunosuppressive therapy in acute inflammatory myocarditis 94 *P*
– *see also* Kenny J *et al*

DANCY M (& Leech G, Leatham A) Significance of complete right bundle-branch block when an isolated finding. An echocardiographic study 217

DAVIES D W (& Holt P M, Curry P V L) Relation between episodes of reversible cardiac ischaemia and arrhythmias 90 *P*

DAVIES E R *see* Walker P R *et al*

DAVIES J (& Gibson D G, Foale R, Heer K, Spry C J F, Oakley C M, Goodwin J F) Echocardiographic features of eosinophilic endomyocardial disease 434

DAVIGNON A *see* Fouron J C *et al*

DEANFIELD J *see* Fox K M *et al*

DEANFIELD J E (& Sugrue D, McKenna W J, Lavender P, Graham G R, Hallidie-Smith K) Ventricular arrhythmia in tetralogy of Fallot: influence of age, haemodynamic factors, and surgery 88 *P*

– (& Tommasini G, Anderson R H, Macartney F J) Tricuspid atresia: analysis of coronary artery distribution and ventricular morphology 485

DE GIOVANNI J V (& Ackroyd S, Green S H, Silove E D) Cardiomyopathy in Friedreich's ataxia 92 *P*

DE GROOT A C GITTENBERGER- *see* Gittenberger-de Groot A C

DE LEVAL M *see* Huhta J C *et al*
McKay R *et al*
Shore D F *et al*
Smallhorn J F *et al*

DER HAUWAERT L G VAN *see* Van der Hauwaert L G

DEVERALL P B *see* Reidy J F *et al*

DIANZUMBA S B (& Char G) Large calcified right atrial myxoma in a newborn. Rare cause of neonatal death: case report 177

DICKINSON D F (& Parimelazhagan K M, Tweedie M C K, West C R, Piccoli G P, Musumeci F, Hamilton D I) Total anomalous pulmonary venous connection. Repair using deep hypothermia and circulatory arrest in 44 consecutive infants 249

DILLON J C Measurement of pulmonary artery pressure in cyanotic heart disease using selective coronary artery cannulation techniques: case report 504

DOESBURG N VAN *see* van Doesburg N

DOIG W *see* Reid J M *et al*

DONALDSON R M (& Ballester M, Rickards A F) Rupture of a papillary muscle of the tricuspid valve. Echocardiographic diagnosis: case report 291

– (& Florio R, Rickards A F, Bennett J G, Yacoub M, Ross D N, Olsen E) Irreversible morphological changes contributing to depressed cardiac function after surgery for chronic aortic regurgitation 589

– (& Olsen E, Florio R, Emanuel R, Rickards A F, Bennett J G, Ross D N) Changes in left ventricular mass, volume, and function after surgery for chronic aortic regurgitation 92 *P*

– (& Rickards A F) Evaluation of drug-induced changes in myocardial repolarisation using the paced evoked response 381

DUMOULIN M *see* Van der Hauwaert L G *et al*

EDWARDS C W *see* Lowry P J *et al*

EFFERT S *see* Schweizer P *et al*

ELAMIN M S (& Boyle R, Kardash M M, Smith D R, Stoker J B, Whitaker W, Mary D A S G, Linden R J) Accurate detection of coronary heart disease by new exercise test 311

ELDAR M (& Motro M, Rath S, Schy N, Neufeld H N) Systolic closure of aortic valve in patients with prosthetic mitral valves 48

ELL P J *see* Walton S *et al*

ELLISON R C *see* Hofman A *et al*

EMANUEL R *see* Donaldson R M *et al*

ENGEL S *see* Schlüter M *et al*

ENGLAND D *see* Fox K M *et al*

ENGLISH T A H *see* Bexton R S *et al*
Cory-Pearce R *et al*
Mackintosh A F *et al*

ERBEL R *see* Schweizer P *et al*

ERIKSSEN J *see* Thaulow E *et al*

ERRINGTON J *see* Henderson A & Errington J

ESPINER E A *see* Ikram H *et al*

EVEMY K (& Sutherland G, Hunter S) Demonstration of defects of interventricular septum in adults by two dimensional echocardiography 95 *P*

– *see also* Jennings K *et al*

FAGARD R *see* Vanhees L *et al*

FAIDUTTI B *see* Benmimoun E G *et al*

FALK E Coronary artery narrowing without irreversible myocardial damage or development of collaterals. Assessment of "critical" stenosis in a human model 265

FERREIRO J *see* Castellanos A *et al*

FIDDLER G I *see* Gerlis L M *et al*

FIRTH B G *see* Rehr R B *et al*

FITZGERALD D J (& O'Callaghan W G, McQuaid R, O'Malley K, O'Brien E) Accuracy and reliability of two indirect ambulatory blood pressure recorders: Remler M2000 and Cardiodyne Sphygmolog 572

FLORIO R *see* Donaldson R M *et al*

FOALE R *see* Davies J *et al*

FORFAR J C (& Muir A L, Toft A D) Left ventricular function in hypothyroidism. Responses to exercise and beta adrenoceptor blockade 278

FORTUIN N J *see* Traill T A & Fortuin N J

FOURON J C (& van Doesburg N, Davignon A) Hang-out time of pulmonary valve in d-transposition of great arteries: correspondence 302

FOX K M Exercise heart rate/ST segment relation. Perfect predictor of coronary disease? editorial 309

– (& Deanfield J, Ribero P, England D, Wright C) Projection of ST segment changes on to the front of the chest. Practical implications for exercise testing and ambulatory monitoring 555

FRAND M *see* Laufer J *et al*

FREEDOM R M (& Schaffer M S, Rowe R D) Anomalous low insertion of right superior vena cava: case report 601

FRIEDLI B *see* Benmimoun E G *et al*

FUJITA T *see* Miyatake K *et al*

GABA F E *see* George B O *et al*

GARDECKI T I M *see* Voulgari F *et al*

GELMAN J S (& Saltups A) Precordial ST segment depression in patients with inferior myocardial infarction: clinical implications 560

GEORGE B O (& Gaba F E, Talabi A I) M-mode echocardiographic features of endomyocardial fibrosis 222

GERLIS L M (& Partridge J B, Fiddler G I) Anomalous connection of left atrial appendage with persistent left superior vena cava: case report 73

GIBB I *see* Jennings K *et al*

GIBSON D *see* Oldershaw P J *et al*

GIBSON D G *see* Davies J *et al*
Sutton M G St J *et al*

GIESSEN W J v d *see* Stoel I *et al*

GILLGREN C L *see* Brown A K *et al*

GIOVANNI J V DE *see* de Giovanni J V

GITTENBERGER-DE GROOT A C *see* Wenink A C G & Gittenberger-de Groot A C

GOTH J J (& Smith G H) Coronary artery surgery using inverted internal mammary artery: case report 81

GOODWIN J F The frontiers of cardiomyopathy 1

– *see also* Alvares R F & Goodwin J F
Davies J *et al*

GOWERS J *see* Veale D *et al*

GRAHAM G R *see* Deanfield J E *et al*

GREEN S H *see* de Giovanni J V *et al*

GREENBERG G (& Imeson J D, Meade T W) Endogenous progesterone and blood pressure 92 *P*

GROOT A C GITTENBERGER-DE *see* Gittenberger-de Groot A C

HABER E Immunological probes in cardiovascular disease: correspondence 604
HAGWORTH S G Total anomalous pulmonary venous return. Prenatal damage to pulmonary vascular bed and extrapulmonary veins 513
HALL R J C *see* Bullock R E & Hall R J C
HALLIDIE-SMITH K *see* Deanfield J E *et al*
HAMILTON D I *see* Dickinson D F *et al*
HANDA S *see* Yamazaki H *et al*
HANRATH P *see* Matsumoto M *et al*
Schlüter M *et al*
HARDARSON T *see* Bjarnason I *et al*
HAUGE S NITTER- *see* Nitter-Hauge S *et al*
HAUWAERT L G VAN DER *see* Van der Hauwaert L G
HEER K *see* Davies J *et al*
HELLESTRAND K J (& Bexton R S, Nathan A W, Spurrell R A J, Camm A J) Acute electrophysiological effects of flecainide acetate on cardiac conduction and refractoriness in man 140
– *see also* Bexton R S *et al*
Nathan A W *et al*
HENDERSON A (& Errington J) Sudden versus gradual withdrawal of sotalol in ambulant patients with ischaemic heart disease 552
HICKEY A J (& Wolfers J, Wilcken D E L) Reliability and clinical relevance of detection of vegetations by echocardiography in bacterial endocarditis: correspondence 83
HIROSE H *see* Matsumoto M *et al*
HO S Y *see* Restivo A *et al*
HOFMAN A (& Ellison R C, Newburger J, Miettinen O S) Blood pressure and haemodynamics in teenagers 377
HOFSTETTER R (& Mayr A, Von Bernuth G) Computer analysis of cardiac contractility variables obtained by M-mode echocardiography in normal newborns 525
HOLT D W *see* Bell J A *et al*
HOLT P M *see* Davies D W *et al*
HOOR F TEN *see* ten Hoor F
HOUSEAGO S *see* Williams K N *et al*
HUCKELL V F Mitral valve prolapse and coronary artery spasm: correspondence 301
HUGENHOLTZ P G *see* Stoel I *et al*
HUHTA J C (& Smallhorn J F, Macartney F J) Two dimensional echocardiographic diagnosis of situs 97
– – – Anderson R H, de Leval M) Cross-sectional echocardiographic diagnosis of systemic venous return 388
– *see also* Smallhorn J F *et al*
HUHTRA J *see* Smallhorn J F *et al*
HULL F T L *see* Ikram H *et al*
HUNTER S *see* Evemy K *et al*
Morrell P *et al*
HYLAND R *see* Baron M *et al*

IKRAM H Effects of prostaglandin E_1 and other vasodilator agents in pulmonary hypertension of scleroderma: correspondence 304
– (& Maslowski A H, Nicholls M G, Espiner E A, Hull F T L) Haemodynamic and hormonal effects of captopril in primary pulmonary hypertension 541
ILSLEY C (& Canepa-Anson R, Westgate C, Webb S, Rickards A, Poole-Wilson P) Influence of R wave analysis upon diagnostic accuracy of exercise testing in women 161
– (& Stockley A, Clitsakis D, Layton C) Normal coronary arteriogram. An avoidable test? 580
IMESON J D *see* Greenberg G *et al*
IMM S *see* Schweizer P *et al*
INOUE T *see* Yamazaki H *et al*
ISAACSON J R *see* Bell J A *et al*

JACKSON G *see* Daly K *et al*
Kenny J *et al*
JARRITT P H *see* Walton S *et al*
JENKINS B S *see* Wilmshurst P T *et al*
JENNINGS K (& Adams P C, Gibb I, Parnham A J) Immunological probes in cardiovascular disease: correspondence 604
– (& Evemy K, Reid D S, Julian D G) Reciprocal ST depression in myocardial infarction: relation to exercise-induced ST depression 90 *P*
JEWITT D E *see* Daly K *et al*
Kenny J *et al*
Richardson P J *et al*
JONSSON S *see* Bjarnason I *et al*
JOY M (& Pollard C M, Nunan T O) Diurnal variation in exercise responses in angina pectoris 156
JULIAN D G *see* Jennings K *et al*

KARDASH M M *see* Elamin M S *et al*
KARLINER J *see* Watkins J *et al*
KAWAZOE K *see* Miyatake K *et al*
KEENAN D J M (& Morton P, O'Kane H O) Right atrial myxoma and pulmonary embolism. Rational basis for investigation and treatment: case report 510
KENMURE A C F *see* Beach C *et al*
KENNY J (& Daly K, Bergman G, Kerkez S, Jackson G, Jewitt D E) Haemodynamic and metabolic effects of diltiazem, a new calcium antagonist, compared with nifedipine in patients with coronary artery disease 89 *P*
KEKWICK C A *see* Veale D *et al*
KERKEZ S *see* Kenny J *et al*
KHAN M M *see* Pringle T H *et al*
KINOSHITA N *see* Miyatake K *et al*
KISHI H *see* Watanabe Y and Kishi H
KITCHIN A H *see* Marquis R M *et al*
KLÖPPEL G *see* Mathey D G *et al*
KONDO M *see* Yamazaki H *et al*
KREBS W *see* Schweizer P *et al*
KREMER P *see* Matsumoto M *et al*
Schlüter M *et al*
KRIKLER D M *see* Rowland E *et al*
KUBO A *see* Yamazaki H *et al*
KUCK K-H *see* Mathey D G *et al*

LAHIRI A (& Carboni G P, Crawley J W, Raftery E B) Reversible ischaemia of right ventricle detected by exercise thallium-201 scintigraphy 260
LAM W *see* Rich S *et al*
LANDMARK K (& Sire S, Thaulow E, Amlie J P, Nitter-Hauge S) Haemodynamic effects of nifedipine and propranolol in patients with hypertrophic obstructive cardiomyopathy 19
LANGENSTEIN B A *see* Matsumoto M *et al*
Schlüter M *et al*
LAUFER J (& Frand M, Milo S) Valve replacement for severe tricuspid regurgitation caused by Libman-Sacks endocarditis: case report 294
LAVENDER P *see* Deanfield J E *et al*
LAYTON C *see* Ilsley C *et al*
LEATHAM A *see* Dancy M *et al*
LEECH G *see* Dancy M *et al*
LEVAL M DE *see* de Leval M
LEVAL M R DE *see* de Leval M R
LINCOLN C *see* Shore D F *et al*
LINDEN R J *see* Elamin M S *et al*
LOGAN R *see* Riemersma R A *et al*
LOWRY P J (& Edwards C W, Nagle R E) Herpes-like virus particles in myocardium of patient progressing to congestive cardiomyopathy: case report 501
LÜDERITZ B *see* D'Alnoncourt C N *et al*

MACARTNEY F J *see* Deanfield J E *et al*
Huhta J C *et al*
Smallhorn J F *et al*
MCCORMACK R J M *see* Marquis R M *et al*
MACK M *see* Rehr R B *et al*

McKay R (& Stark J, de Leval M) Unusual vascular ring in infant with pulmonary atresia and ventricular septal defect: case report 180
McKenna W J *see* Deanfield J E *et al*
Rowland E *et al*
Mackintosh A F (& Carmichael D J, Wren C, Cory-Pearce R, English T A H) Sinus node function in first three weeks after cardiac transplantation 584
McMichael J History of atrial fibrillation 1628-1819. Harvey – de Senac – Laënnec 193
McQuaid R *see* Fitzgerald D J *et al*
Mann S (& Altman D G, Raftery E B, Bannister R) Inverted circadian blood pressure rhythm in autonomic failure 91 *P*
Marier D L *see* Sutton M G St J *et al*
Marquis R M (& Miller H C, McCormack R J M, Matthews M B, Kitchin A H) Persistence of ductus arteriosus with left to right shunt in the older patient 469
Martinez J *see* Rich S *et al*
Mary D A S G *see* Elamin M S *et al*
Maslowski A H *see* Ikram H *et al*
Mathey D G (& Schofer J, Kuck K-H, Beil U, Klöppel G) Transmural, haemorrhagic myocardial infarction after intracoronary streptokinase. Clinical, angiographic, and necropsy findings 546
Matsumoto M (& Hanrath P, Kremer P, Tams C, Langenstein B A, Schlüter M, Weiter R, Bleifeld W) Evaluation of left ventricular performance during supine exercise by transoesophageal M-mode echocardiography in normal subjects 61
– (& Strom J, Hirose H, Abe H) Preoperative echocardiographic diagnosis of anterior mitral valve leaflet fenestration associated with infective endocarditis 538
Mattheos M *see* Oldershaw P J *et al*
Matthews M B *see* Marquis R M *et al*
Mayr A *see* Hofstetter R *et al*
Meade T W *see* Greenberg G *et al*
Melvin K R (& Pollick C P, Wallwork J, Stinson E B) Orthotopic vs. heterotopic cardiac transplantation: haemodynamic and physiological factors 90 *P*
Meltzer R S *see* Verheugt F W A *et al*
Messmer B J *see* Schweizer P *et al*
Metcalffe J (& Somerville J) Early and late results of surgical repair of lesions associated with corrected transposition 94 *P*
Metras D (& Coulibaly A O, Ouattara K) Calcified unruptured aneurysm of sinus of Valsalva with complete heart block and aortic regurgitation. Successful repair in one case: case report 507
Miettinen O S *see* Hofman A *et al*
Milanesi O (& Thiene G, Bini R M, Pellegrino P A) Complete transposition of great arteries with coarctation of aorta 566
Miller H C *see* Marquis R M *et al*
Mills P Reliability and clinical relevance of detection of vegetations by echocardiography in bacterial endocarditis: correspondence 83
Milo S *see* Laufer J *et al*
Minale C *see* Schweizer P *et al*
Mitchell J R A Theory and practice in prevention of arterial thrombosis: editorial 417
Miyatake K (& Nimura Y, Sakakibara H, Kinoshita N, Okamoto M, Nagata S, Kawazoe K, Fujita T) Localisation and direction of mitral regurgitant flow in mitral orifice studied with combined use of ultrasonic pulsed Doppler technique and two dimensional echocardiography 449
Mo H Vik- *see* Vik-Mo H
Moerman P *see* Van der Hauwaert L G *et al*
Moleiro F *see* Castellanos A *et al*
Morrell P (& Sutherland G R, Bain H H, Hunter S) Complications of long-term prostaglandin E_2 therapy in infants with complex heart disease 95 *P*
Morrice J *see* Williams K N *et al*
Morton P *see* Keenan D J M *et al*
Motro M *see* Eldar M *et al*
Muir A L *see* Forfar J C *et al*
Musumeci F *see* Dickinson D F *et al*
Myerburg R J *see* Castellanos A *et al*

Nagata S *see* Miyatake K *et al*
Nagle R E *see* Lowry P J *et al*
Nakamura Y *see* Yamazaki H *et al*
Nathan A W (& Hellestrand K J, Bexton R S, Ward D E, Spurrell R A J, Camm A J) Electrophysiological effects of sotalol—more than just another beta blocker 88 *P*
– *see also* Hellestrand K J *et al*
Nelson G I C *see* Silke B *et al*
Neufeld H N *see* Eldar M *et al*
Newburger J *see* Hofman A *et al*
Nicholls M G *see* Ikram H *et al*
Nimura Y *see* Miyatake K *et al*
Nishimura R A (& Shub C, Tajik A J) Two dimensional echocardiographic diagnosis of partial papillary muscle rupture: case report 598
Nitter-Hauge S *see* Landmark K *et al*
Thaulow E *et al*
Norell M *see* Bayliss J *et al*
Nunan T O *see* Joy M *et al*

Oakley C M *see* Davies J *et al*
O'Brien E *see* Fitzgerald D J *et al*
O'Callaghan W G *see* Fitzgerald D J *et al*
Ohsuzu F *see* Yamazaki H *et al*
Okamoto M *see* Miyatake K *et al*
O'Kane H O *see* Keenan D J M *et al*
Pringle T H *et al*
Oldershaw P J (& Shapiro E, Mattheos M, Sutton M G St J, Gibson D) Independence of changes in left ventricular diastolic properties of pericardial pressure 125
– *see also* Sutton M G St J *et al*
Oliver M F *see* Riemersma R A *et al*
Olsen E G J *see* Daly K *et al*
Donaldson R M *et al*
O'Malley K *see* Fitzgerald D J *et al*
Ouattara K *see* Metras D *et al*

Parimelazhagan KM *see* Dickinson D F *et al*
Parnham A J *see* Jennings K *et al*
Partridge J B *see* Gerlis L M *et al*
Pattison J *see* Daly K *et al*
Pearce R Cory- *see* Cory-Pearce R
Pefkaros K *see* Castellanos A *et al*
Pellegrino P A *see* Milanesi O *et al*
Peploe M M Webb- *see* Webb-Peploe M M
Picchio F M *see* Bonvicini M *et al*
Piccoli G P *see* Dickinson D F *et al*
Piovaccari G *see* Bonvicini M *et al*
Pollard C M *see* Joy M *et al*
Pollick C P *see* Melvin K R *et al*
Polster J *see* Schlüter M *et al*
Poole-Wilson P A *see* Bayliss J *et al*
Ilsley C *et al*
Pringle T H (& Webb S W, Khan M M, O'Kane H O J, Cleland J, Adgey A A J) Clinical echocardiographic, and operative findings in active infective endocarditis 529

Qadt F J A *see* Stoel I *et al*

Raftery E B *see* Lahiri A *et al*
Mann S *et al*
Rath S *see* Eldar M *et al*
Rees J R *see* Walker P R *et al*
Rehr R B (& Mack M, Firth B G) Aortic regurgitation and sinus of Valsalva-right atrial fistula after blunt thoracic trauma: case report 410

REID D S *see* Jennings K *et al*
REID J L *see* Rodger J C *et al*
REID J M (& Coleman E N, Doig W) Complete congenital heart block. Report of 35 cases 236
REIDY J F (& Deverall P B, Sowton E) Successful late non-surgical removal of intracardiac catheter fragment: case report 407
RESTIVO A (& Ho S Y, Anderson R H, Cameron H, Wilkinson J L) Absent left atrioventricular connection with right atrium connected to morphologically left ventricular chamber, rudimentary right ventricular chamber, and ventriculoarterial discordance. Problem of mitral versus tricuspid atresia 240
REUBEN S *see* Bayliss J *et al*
RIBERO P *see* Fox K M *et al*
RICH S (& Martinez J, Lam W, Rosen K M) Captopril as treatment for patients with pulmonary hypertension. Problem of variability in assessing chronic drug treatment 272
RICHARDSON P J (& Wodak A, Atkinson L, Jewitt D E) Relation between alcohol intake, myocardial dysfunction and myocardial tissue enzyme activities 93 *P*
– *see also* Daly K *et al*
RICKARDS A F *see* Donaldson R M & Rickards A F
Donaldson R M *et al*
Ilsley C *et al*
RIEMERSMA R A (& Logan R, Russell D C, Smith H J, Simpson J, Oliver M F) Effect of heparin on plasma free fatty acid concentrations after acute myocardial infarction 134
RIGBY M L *see* Shore D F *et al*
RODGER J C (& Struthers A D, Whitesmith R, Reid J L) Changes in plasma potassium and the electrocardiogram induced by adrenaline and the effect of beta blockade on them 91 *P*
ROELANDT J *see* Verheugt F W A *et al*
ROOTWELT K *see* Thaulow E *et al*
ROSEN K M *see* Bauernfeind R A *et al*
Rich S *et al*
ROSS D N *see* Donaldson R M *et al*
ROWE R D *see* Freedom R M *et al*
ROWLAND E (& McKenna W, Krikler D M) Comparative electrophysiological effects of novel antiarrhythmic drug, bepridil 87 *P*
ROZANSKI J J *see* Castellanos A *et al*
RUSSELL D C *see* Riemersma R A *et al*
RUTISHAUSER W *see* Benmimoun E G *et al*

SACCHETTI R *see* Sutton M G St J *et al*
SAKAKIBARA H *see* Miyatake K *et al*
SALTUPS A *see* Gelman J S & Saltups A
SCHAFFER M S *see* Freedom R M *et al*
SCHECK H *see* Verheugt F W A *et al*
SCHLÜTER M (& Langenstein B A, Polster J, Kremer P, Souquet J, Engel S, Hanrath P) Transoesophageal cross-sectional echocardiography with a phased array transducer system. Technique and initial clinical results 67
– *see also* Matsumoto M *et al*
SCHOFER J *see* Mathey D G *et al*
SCHULTZE G *see* Sehested J & Schultze G
SCHWEIZER P (& Bardos P, Krebs W, Erbel R, Minale C, Imm S, Messmer B J, Effert S) Morphometric investigations in mitral stenosis using two dimensional echocardiography 54
SCHY N *see* Eldar M *et al*
SEHESTED J (& Schultze G) Vasomotor wave and blood pressure response to erect posture after operation for aortic coarctation 357
SHAHAR J *see* Abinader E G and Shahar J
SHAPIRO E *see* Oldershaw P J *et al*
SHAW D B *see* Veale D *et al*
SHAW T R D Removal of embolised catheters using flexible endoscopy forceps 497
SHORE D F (& Rigby M L, Lincoln C) Severe tricuspid stenosis presenting as tricuspid atresia. Echocardiographic diagnosis and surgical management 404
– (& Smallhorn J, Stark J, Lincoln C, de Leval M R) Left ventricular outflow tract obstruction coexisting with ventricular septal defect 421
SHORT D *see* Beach C *et al*
SHUB C *see* Nishimura R A *et al*
SILKE B (& Nelson G I C, Ahuja R C, Taylor S H) Comparative haemodynamic dose response effects of propranolol and labetalol in coronary heart disease 364
SILOVE E D *see* de Giovanni J V *et al*
SIMPSON J *see* Riemersma R A *et al*
SIRE S *see* Landmark K *et al*
SKRINSKAS G *see* Baron M *et al*
SLUTSKY R *see* Watkins J *et al*
SMALLHORN J F (& Anderson R H, Macartney F J) Cross-sectional echocardiographic recognition of interruption of aortic arch between left carotid and subclavian arteries 229
– (& de Leval M, Stark J, Somerville J, Taylor J F N, Anderson R H, Macartney F J) Isolated anterior mitral cleft. Two dimensional echocardiographic assessment and differentiation from "clefts" associated with atrioventricular septal defect 109
– (& Huhtra J, Anderson R H, Macartney F J) Role of suprasternal two dimensional echocardiography in assessment of neonate and infant with congenital heart disease 95 *P*
– (& Huhta J C, Anderson R H, Macartney F J) Suprasternal cross-sectional echocardiography in assessment of patent ductus arteriosus 321
– (& Sutherland G R, Anderson R H, Macartney F J) Cross-sectional echocardiographic assessment of conditions with atrioventricular valve leaflets attached to the atrial septum at the same level 331
– *see also* Huhta J C *et al*
Shore D F *et al*
SMITH D R *see* Elamin M S *et al*
Young M A & Smith D R
SMITH G H *see* Goiti J J & Smith G H
SMITH H J *see* Riemersma R A *et al*
SMITH K HALLIDIE- *see* HALLIDIE-SMITH K
SNELL N J C *see* Bell J A *et al*
SOLOFF L A Electrocardiogram of pure left ventricular hypertrophy and its differentiation from lateral ischaemia: correspondence 85
SOMERVILLE J *see* Metcalffe J & Somerville J
Smallhorn J F *et al*
SOUQUET J *see* Schlüter M *et al*
SOWTON E *see* Reidy J F *et al*
SPRY C J F *see* Davies J *et al*
SPURRELL R A J *see* Bexton R S *et al*
Hellestrand K J *et al*
Nathan A W *et al*
STARK J *see* McKay R *et al*
Shore D F *et al*
Smallhorn J F *et al*
STINSON E B *see* Melvin K R *et al*
STOCKLEY A *see* Ilsley C *et al*
STOEL I (& Giessen W J v d, Zwolsman E, Verheugt F W A, ten Hoor F, Quadt F J A, Hugenholtz P G) Effect of nicotine on production of prostacyclin in human umbilical artery 493
STOKER J B *see* Elamin M S *et al*
STONE P C W *see* Voulgari F *et al*
STRASBERG B *see* Bauernfeind R A *et al*
STROM J *see* Matsumoto M *et al*
STRUTHERS A D *see* Rodger J C *et al*
STUART J *see* Voulgari F *et al*
SUGRUE D *see* Deanfield J E *et al*
SUTHERLAND G *see* Evemy K *et al*
SUTHERLAND G R *see* Morrell P *et al*
Smallhorn J F *et al*
SUTTON G C *see* Bayliss J *et al*
SUTTON M G St J (& Marier D L, Oldershaw P J, Sacchetti R, Gibson D G) Effect of age related changes in chamber size,

wall thickness, and heart rate on left ventricular function in normal children 342
– *see also* Oldershaw P J *et al*
SWANTON R H *see* Walton S *et al*

TAJIK A J *see* Nishimura R A *et al*
TAKAGI Y *see* Yamazaki H *et al*
TALABI A I *see* George B O *et al*
TAMS C *see* Matsumoto M *et al*
TAYLOR J F N *see* Smallhorn J F *et al*
TAYLOR S H *see* Silke B *et al*
TEN HOOR F *see* Stoel I *et al*
THAULOW E (& Rootwelt K, Erikssen J, Nitter-Hauge S) Routine radionuclide techniques in evaluation of patients with suspected coronary heart disease 255
– *see also* Landmark K *et al*
THIENE G *see* Milanesi O *et al*
THOMAS J M *see* Bell J A *et al*
THOMPSON D S *see* Wilmshurst P T *et al*
TOFT A D *see* Forfar J C *et al*
TOMMASINI G *see* Deanfield J E *et al*
TRAILL T A (& Fortuin N J) Presystolic mitral closure sound in aortic regurgitation with left ventricular hypertrophy and first degree heart block: case report 78
TSUGU T *see* Yamazaki H *et al*
TUBAU J *see* Watkins J *et al*
TWEEDIE M C K *see* Dickinson D F *et al*

UROWITZ M B *see* Baron M *et al*

VAN DER HAUWAERT L G (& Dumoulin M, Moerman P) Congenital atresia of left coronary ostium: case report 298
VAN DOESBURG N *see* Fouron J C *et al*
VANHEES L (& Fagard R, Amery A) Influence of beta adrenergic blockade on effects of physical training in patients with ischaemic heart disease 33
VEALE D (& Kekwick C A, Gowers J, Whistance A, Shaw D B) Prognosis of chronic second degree atrioventricular block 87 *P*
VERHEUGT F W A (& Scheck H, Meltzer R S, Roelandt J) Alternating atrial electromechanical dissociation as contributing factor for pulsus alternans 459
– *see also* Stoel I *et al*
VIK-MO H *see* Andersen K and Vik-Mo H
VON BERNUTH G *see* Hofstetter R *et al*
VOULGARI F (& Cummins P, Gardecki T I M, Beeching N J, Stone P C W, Stuart J) Serum levels of acute phase and cardiac proteins after myocardial infarction, surgery, and infection 352

WALKER P R (& Davies E R, Watt I, Rees J R) Comparison of "dipyridamole-exercise" thallium-201 imaging and standard exercise thallium-201 imaging in men with angina 89 *P*
WALLWORK J *see* Melvin K R *et al*
WALTON S (& Ell P J, Jarritt P H, Swanton R H) Phase analysis of the first pass radionuclide angiocardiogram 441
WARD D E *see* Nathan A W *et al*
WATANABE Y (& Kishi H) Permanent right bundle-branch block heralded by intermittent block and ventricular extrasystoles. A 13-year observation: case report 184
WATKINS J (& Slutsky R, Tubau J, Karliner J) Scintigraphic study of relation between left ventricular peak systolic pressure and end-systolic volume in patients with coronary artery disease and normal subjects 39
WATT I *see* Walker P R *et al*
WEBB S *see* Ilsley C *et al*
WEBB S W *see* Pringle T H *et al*
WEBB-PEPLOE M M *see* Williams K N *et al*
Wilmshurst P T *et al*
WEITER R *see* Matsumoto M *et al*
WENINK A C G (& Gittenberger-de Groot A C) Left and right ventricular trabecular patterns. Consequence of ventricular septation and valve development 462
WEST C R *see* Dickinson D F *et al*
WESTGATE C *see* Ilsley C *et al*
WHISTANCE A *see* Veale D *et al*
WHITAKER W *see* Elamin M S *et al*
WHITESMITH R *see* Rodger J C *et al*
WILCKEN D E L *see* Hickey A J *et al*
WILKINSON J L *see* Restivo A *et al*
WILLIAMS K N (& Brooksby I A B, Morrice J, Houseago S, Webb-Peploe M M) Computerised cardiological case notes 169
WILMSHURST P T (& Thompson D S, Jenkins B S, Coltart D J, Webb-Peploe M M) Effect of intravenous amrinone on resting haemodynamic function in patients with congestive cardiac failure 93 *P*
WILSON P POOLE- *see* Poole-Wilson P
WODAK A *see* Richardson P J *et al*
WOLFERS J *see* Hickey A J *et al*
WREN C *see* Mackintosh A F *et al*
WRIGHT C *see* Fox K M *et al*

YACOUB M *see* Donaldson R M *et al*
YAMAZAKI H (& Tsugu T, Handa S, Takagi Y, Ohsuzu F, Kondo M, Kubo A, Inoue T, Nakamura Y) Postoperative thallium-201 myocardial images. Evidence of regression of right ventricular hypertrophy in man 372
YOUNG M A (& Smith D R) Oxford pacemaker infection trial: correspondence 306

ZEMA M J (& Caccavano M) Two dimensional echocardiographic assessment of aortic valve morphology: feasibility of bicuspid valve detection. Prospective study of 100 adult patients 428
ZIERHUT W *see* D'Alnoncourt C N *et al*
ZWOLSMAN E *see* Stoel I *et al*

SUBJECT INDEX
1982, Volume 48

Absent left atrioventricular connection, four cases, problem of mitral versus tricuspid atresia (Restivo *et al*). 240
Acute phase proteins, serum levels after myocardial infarction, surgery and infection (Voulgari *et al*). 352
Adrenaline-induced changes in plasma potassium and the ECG, and effect of beta blockade (Rodger *et al*). 91 *P*
Age related changes in chamber size, wall thickness and heart rate, effects on left ventricular function in normal children (Sutton *et al*). 342
Alcohol intake, myocardial dysfunction, and myocardial tissue enzyme activities (Richardson *et al*). 93 *P*
Amrinone, intravenous, effect on resting haemodynamic function in congestive cardiac failure (Wilmshurst *et al*). 93 *P*
Aneurysm of sinus of Valsalva, calcified unruptured, with complete heart block and aortic regurgitation: case report (Metras *et al*). 507
Aneurysmal tissue tag complicating an infundibular perimembranous ventricular septal defect (Bonvicini *et al*). 189
Angina pectoris
  dipyridamole-exercise "thallium-201 imaging compared with standard thallium-201 imaging (Walker *et al*). 89 *P*
  diurnal variation in exercise responses (Joy *et al*). 166
Antiarrhythmic drug, bepridil, comparative electrophysiological effects (Rowland *et al*). 87 *P*
Aortic
  arch, interruption between left carotid and subclavian arteries, cross-sectional echocardiography recognition (Smallhorn *et al*). 229
  coarctation operation, vasomotor wave and blood pressure response to erect posture after (Sehested & Schultze). 357
  regeneration, changes in left ventricular mass, volume, and function after surgery for (Donaldson *et al*). 92 *P*
  regurgitation, chronic, irreversible morphological changes contributing to depressed cardiac function after surgery (Donaldson *et al*). 589
    and sinus of Valsalva-right atrial fistula after blunt thoracic trauma: case report (Rehr *et al*). 410
    with left ventricular hypertrophy, presystolic mitral closure sound in, and first degree heart block: case report (Traill & Fortuin). 78
  valve morphology, 2-D echo assessment, feasibility of bicuspid valve detection (Zema & Caccavano). 428
    systolic closure in patients with prosthetic mitral valves (Eldar *et al*). 48
Arrhythmias
  cardiac, in hypertrophic cardiomyopathy (Bjarnason *et al*). 198
  ventricular, in tetralogy of Fallot (Deanfield *et al*). 88 *P*
Arterial thrombosis, theory and practice: editorial (Mitchell). 417
Atenolol, oral, role of Frank-Starling mechanism during maximal semisupine exercise after (Andersen & Vik-Mo) 149
Atrial
  appendage, left, anomalous connection with persistent left superior vena cava: case report (Gerlis *et al*). 73
  electromechanical dissociations, alternating, as contributing factor for pulsus alternans (Verheught *et al*). 459
  fibrillation, history, 1628-1819 (McMichael). 193
  myxoma, right, large calcified, newborn: case report (Dianzumba & Char). 177
  myxoma, right and pulmonary embolism: case report (Keenan *et al*). 510
  pacing, increased, in heart transplant rejection (Cory-Pearce *et al*). 89 *P*
Atrioventricular
  block, chronic second degree, prognosis (Veale *et al*). 87 *P*
  valve leaflets attached to atrial septum at same level, cross-sectional echocardiographic assessment (Smallhorn *et al*). 331
Autonomic failure, inverted circadian blood pressure rhythm (Mann *et al*). 91 *P*

Bacterial endocarditis, detection of vegetations by echocardiography: correspondence (Mills: Hickey *et al*). 83
Bepridil, comparative electrophysiological effects (Rowland *et al*). 87 *P*
Beta blockade
  diastolic function in HCM on and off (Alvares & Goodwin). 204
  effect on changes in plasma potassium and the ECG induced by adrenaline (Rodger *et al*). 91 *P*
  and exercise in left ventricular function in hypothyroidism (Forfar *et al*). 278
  exercise testing in mitral valve prolapse before and after (Abinader & Shahar). 130
  influence on physical training in ischaemic heart disease (Vanhees *et al*). 33
Blood pressure
  and endogenous progesterone (Greenberg *et al*). 92 *P*
  and haemodynamics in teenagers (Hofman *et al*). 377
  inverted circadian rhythm, in autonomic failure (Mann *et al*). 91 *P*
  recorders, ambulatory, accuracy and reliability (Fitzgerald *et al*). 572
  and vasomotor wave response to erect posture after aortic coarctation operation (Sehested & Schultze). 357
Bundle-branch block
  complete right, significance when an isolated finding, echocardiography (Dancy *et al*). 217
  functional, slowing of paroxysmal tachycardia with loss of: case report (Bauernfeind *et al*). 75
  permanent, right, heralded by intermittent block and ventricular extrasystoles: case report (Watanabe & Kishi). 184

Calcified unruptured aneurysm of sinus of Valsalva with complete heart block and aortic regurgitation: case report (Metras *et al*). 507
Cannulation, coronary artery in measurement of pulmonary artery pressure in cyanotic heart disease: case report (Dillon). 504
Captopril in pulmonary hypertension (Rich *et al*). 272
  haemodynamic and hormonal effects (Ikram *et al*). 541
Cardiac
  ischaemia *see* Ischaemic heart disease
  transplantation, *see* Heart transplantation
Cardiodyne Sphygmolog, ambulatory blood pressure recorder, accuracy and reliability (Fitzgerald *et al*). 572
Cardiomyopathy
  in Friedreich's ataxia (de Giovanni *et al*). 92 *P*
  frontiers (Goodwin). 1
  hypertrophic, *see* Hypertrophic cardiomyopathy
Cardiovascular disease, immunological probes: correspondence (Jennings *et al*). 604

Catheter
embolised, removal using flexible endoscopy forceps (Shaw). 497
intracardiac fragment, successful late non-surgical removal: case report (Reidy *et al*). 407
Chest injury causing aortic regurgitation and sinus of Valsalva-right atrial fistula: case report (Rehr *et al*). 410
Coarctation of aorta with complete transposition of great arteries (Milanesi *et al*). 566
Computer analysis, cardiac contractility variables, M-mode echocardiography, normal newborns (Hofstetter *et al*). 525
Computerised cardiological case notes (Williams *et al*). 169
Conduction, cardiac, effect of flecainide acetate (Hellestrand *et al*). 140
Congenital
complete heart block, 35 cases (Reid *et al*). 236
heart disease, neonate and infant, two-dimensional suprasternal echocardiography in assessment (Smallhorn *et al*). 95 *P*
Congestive cardiomyopathy, after herpes-like virus particles in myocardium: case report (Lowry *et al*). 501
Contractility variables, cardiac, computer analysis of M-mode echocardiograms, normal newborns (Hofstetter *et al*). 525
Coronary
arteriogram, normal, evaluation (Ilsley *et al*). 580
artery cannulation in measurement of pulmonary artery pressure in cyanotic heart disease: case report (Dillon). 504
disease, diltiazem compared with nifedipine in (Kenny *et al*). 89 *P*
exercise heart rate/ST segment relation as perfect predictor: editorial (Fox). 309
exercise testing and ST segment in accurate detection (Elamin *et al*). 311
scintigraphic study, relation between left ventricular peak systolic pressure and end-systolic volume, and in normal (Watkins *et al*). 39
propranolol and labetalol in, comparative haemodynamic dose response (Silke *et al*). 364
suspected, routine radionuclide techniques in evaluation (Thaulow *et al*). 255
narrowing without irreversible myocardial damage or development collaterals (Falk) 265
spasm and mitral valve prolapse: correspondence (Cheng: Huckell). 301
surgery using inverted internal mammary artery: case report (Goiti & Smith). 81
care, home, trial of prophylactic mexiletine (Bell *et al*). 285
ostium, left, congenital atresia: case report (van der Hauwaert *et al*). 298
Correspondence
Echocardiographic diagnosis of isolated pulmonary valve endocarditis (Brown *et al*). 307
Echocardiographic dimensions (Anderson). 605
Effects of prostaglandin E_1 and other vasodilator agents in pulmonary hypertension of scleroderma (Baron *et al*: Ikram). 304
Electrocardiogram of pure left ventricular hypertrophy and its differentiation from lateral ischaemia (Soloff: Beach *et al*). 85
Hang-out time of pulmonary valve in d-transposition of great arteries (Anderson: Fouron *et al*). 302
Immunological probes in cardiovascular disease (Jennings *et al*). 604
Mitral valve prolapse and coronary artery spasm (Cheng: Huckell). 301
Oxford pacemaker infection trial (Young and Smith). 306
Reliability and clinical relevance of detection of vegetables by echocardiography in bacterial endocarditis (Mills: Hickey *et al*). 83
Cyanotic heart disease, measurement of pulmonary artery pressure using selective coronary artery cannulation techniques: case report (Dillon). 504
Diastolic function in hypertrophic cardiomyopathy on and off beta adrenergic blocking drugs (Alvares & Goodwin). 204
Digitalis-induced atrial tachycardia, effects of lignocaine (Castellanos *et al*). 27
Digoxin toxicity, Fab treatment: correspondence (Jennings *et al*). 604
Diltiazem compared with nifedipine in coronary artery disease (Kenny *et al*). 89 *P*
Dipyridamole-exercise thallium-201 imaging and standard exercise thallium-201 imaging in angina (Walker *et al*). 89 *P*
Disopyramide phosphate, direct physiological effects, evaluated in denervated heart (Bexton *et al*). 87 *P*
Doppler technique combined with 2-D echocardiography in study of mitral regurgitant flow in mitral orifice (Miyatake *et al*). 449
Drug-induced changes, evaluation in myocardial repolarisation using paced evoked response (Donaldson : Rickards). 381

Echocardiography
in anterior mitral valve leaflet fenestration associated with infective endocarditis (Matsumoto *et al*). 538
cross-sectional, diagnosis of systemic venous return (Huhta *et al*). 388
in interruption of aortic arch between left carotid and subclavian arteries (Smallhorn *et al*). 229
in patients with atrioventricular valve leaflets attached to atrial septum at same level (Smallhorn *et al*). 331
suprasternal, in assessment of patent ductus arteriosus (Smallhorn *et al*). 321: 95 *P*
detection of vegetations in bacterial endocarditis: correspondence (Mills: Hickey *et al*). 83
diagnosis of isolated pulmonary valve endocarditis: correspondence (Brown *et al*). 307
dimensions: correspondence (Anderson). 605
in eosinophilic endomyocardial disease (Davies *et al*). 434
M-mode computer analysis, normal newborns (Hofstetter *et al*). 525
endomyocardial fibrosis (George *et al*). 222
transoesophageal, in evaluation of left ventricular performance during exercise, normal subjects (Matsumoto *et al*). 61
with phased array transducer system (Schlüter *et al*). 67
two-dimensional, assessment of aortic valve morphology, feasibility of bicuspid valve detection (Zema & Caccavano). 428
in demonstration of adult interventricular septum (Evemy *et al*). 95 *P*
in mitral stenosis (Schweizer *et al*). 54
in partial papillary muscle rupture: case report (Nishimura *et al*). 598
and pulsed Doppler technique combined in study of mitral regurgitant flow in mitral orifice (Miyatake *et al*). 449
in situs (Huhta *et al*). 97
suprasternal, role in assessment of neonate and infant congenital heart disease (Smallhorn *et al*). 321: 95 *P*
Editorial
Exercise heart rate/ST segment relation. Perfect predictor of coronary disease (Fox). 309
Theory and practice in prevention of arterial thrombosis (Mitchell). 417
Electrophysiological effects of flecainide acetate on cardiac conduction and refractoriness (Hellestrand *et al*). 140
Embolised catheters, removal using flexible endoscopy forceps (Shaw). 497
Endocarditis
infective, *see* Infective endocarditis
pulmonary valve, echocardiographic diagnosis (Brown *et al*). 307
Endomyocardial
fibrosis, M-mode echocardiography (George *et al*). 222
see also Eosinophilic endomyocardial disease
Enzyme activities, myocardial tissue, myocardial dysfunction and alcohol intake, relation between (Richardson *et al*). 93 *P*

Eosinophilic endomyocardial disease, echocardiographic features (Davies *et al*). 434
Exercise
and beta blockade in left ventricular function in hypothyroidism (Forfar *et al*). 278
heart rate/ST segment relation, perfect predictor of coronary disease: editorial (Fox). 309
influence of R wave analysis on diagnostic accuracy (Ilsley *et al*). 161
maximal semisupine after atenolol, role of Frank-Starling mechanism (Andersen & Vik-Mo). 149
in mitral valve prolapse before and after beta blockade (Abinader & Shahar). 130
responses, diurnal variation, angina pectoris (Joy *et al*). 156
and ST segment, in accurate detection of coronary heart disease (Elamin *et al*). 311
and projection of ST segment changes to front of chest (Fox *et al*). 555
supine, transoesophageal M-mode echocardiography in evaluation of left ventricular performance during (Matsumoto *et al*). 61
thallium-201 scintigraphy, reversible ischaemia of right ventricle detected by (Lahiri *et al*). 260

Fatty acids, free, after myocardial infarction, effect of heparin (Riemersma *et al*). 134
First pass radionuclide angiocardiogram, phase analysis (Walton *et al*). 441
Flecainide acetate, acute electrophysiological effects on cardiac conduction and refractoriness (Hellestrand *et al*). 140
Frank-Starling mechanism during maximal semisupine exercise after oral atenolol (Andersen & Vik-Mo). 149
Friedreich's ataxia, cardiomyopathy (de Giovanni *et al*). 92 *P*

Haemodynamics and blood pressure in teenagers (Hofman *et al*). 377
Heart
block, complete congenital, 35 cases (Reid *et al*). 236
failure, vasodilatation, and inotropism, interaction between (Bayliss *et al*). 93 *P*
transplantation, orthoptic vs. heterotopic, haemodynamic and physiological factors (Melvin *et al*). 90 *P*
sinus node function in first three weeks (Mackintosh *et al*). 584
rejection, increased atrial threshold in (Cory-Pearce *et al*). 89 *P*
Heparin, effect on plasma free fatty acid concentrations after myocardial infarction (Riemersma *et al*). 134
Herpes-like virus particles in myocardium progressing to congestive cardiomyopathy: case report (Lowry *et al*). 501
History of atrial fibrillation, 1628-1819 (McMichael). 193
Home coronary care, trial of prophylactic mexiletine (Bell *et al*). 285
Hypertension, pulmonary, primary, captopril in, haemodynamic and hormonal effects (Ikram *et al*). 541
Hypertrophic cardiomyopathy
cardiac arrhythmias in (Bjarnason *et al*). 198
on and off beta adrenergic blocking drugs, non-invasive assessment of diastolic function in (Alvares & Goodwin). 204
constructive nifedipine and propranolol in, haemodynamic effects (Landmark *et al*). 19
Hypothyroidism, left ventricular function in, responses to exercise and beta blockade (Forfar *et al*). 278

Immunological probes in cardiovascular disease: correspondence (Jennings *et al*) 604
Immunosuppressive therapy in acute inflammatory myocarditis (Daly *et al*). 94 *P*
Infection
Oxford pacemaker trial: correspondence (Young & Smith). 306
serum levels of acute phase and cardiac proteins after (Voulgari *et al*). 352
Infective endocarditis
active, clinical, echocardiographic, and operative findings (Pringle *et al*). 529
associated with anterior mitral valve leaflet fenestration, preoperative echocardiographic diagnosis (Matsumoto *et al*). 538
Inotropism and vasodilatation in heart failure, interaction between (Bayliss *et al*). 93 *P*
Inverted circadian blood pressure rhythm in autonomic failure (Mann *et al*). 91 *P*
Interventricular septum, defects, adults, demonstration by two-dimensional echocardiography (Evemy *et al*). 95 *P*
Ischaemia of right ventricle, reversible, detected by exercise thallium-201 scintigraphy (Lahiri *et al*). 260
Ischaemic heart disease
influence of beta adrenergic blockade on effects of physical training (Vanhees *et al*). 33
reversible, and cardiac arrhythmia, relation between (Davies *et al*). 90 *P*
sudden versus gradual withdrawal of sotalol in ambulant patients (Henderson & Errington) 552
Isolated anterior mitral cleft, 2-D echocardiographic assessment (Smallhorn *et al*). 109

Labetalol and propranolol in coronary heart disease, comparative haemodynamic dose response effects (Silke *et al*). 364
Left superior vena cava, persistent, anomalous connection of left atrial appendage with: case report (Gerlis *et al*). 73
left ventricle *see* Ventricle, left
Lignocaine, effects on bidirectional tachycardia and on digitalis-induced atrial tachycardia with block (Castellanos *et al*). 27

Mammary artery, inverted internal, coronary artery surgery using: case report (Goiti & Smith). 81
Mexiletine, prophylactic, trial in home coronary care (Bell *et al*). 285
Mitral valve
atresia versus tricuspid atresia, absent left atrioventricular connection, four cases (Restivo *et al*). 240
leaflet fenestration, anterior, associated with infective endocarditis, preoperative echocardiographic diagnosis (Matsumoto *et al*). 538
opening and left ventricular function in massive pulmonary embolism: case report (Bullock & Hall). 413
prolapse and coronary artery spasm: correspondence (Cheng: Huckell). 301
exercise testing before and after beta blockade (Abinader & Shahar). 130
prosthetic, systolic closure of aortic valves in patients with (Eldar *et al*). 48
regurgitant flow in mitral orifice studied with combined use of ultrasonic pulsed Doppler technique and 2-D echocardiography (Miyatake *et al*). 449
replacement in children (Benmimoun *et al*). 117
stenosis, morphometric investigations using 2-D echocardiography (Schweizer *et al*). 54
M-mode echocardiography, *see* Echocardiography, M-mode
Myocardial
dysfunction, myocardial tissue enzyme activities and alcohol intake, relation between (Richardson *et al*). 93 *P*
infarction, effect of heparin on plasma free fatty acid concentrations after (Riemersma *et al*). 134
inferior, precordial ST segment depression (Gelman & Saltups). 560
serum levels of acute phase and cardiac proteins after (Voulgari *et al*). 352
transmural, haemorrhagic, intracoronary streptokinase after clinical, angiographic, and necropsy findings (Mathey *et al*). 546

repolarisation, evaluation of drug-induced changes using paced evoked response (Donaldson & Rickards). 381
Myocarditis, acute inflammatory, immunosuppressive therapy (Daly *et al*). 94 *P*
Myocardium, herpes-like virus particles in, patient progressing to congestive cardiomyopathy: case report (Lowry *et al*). 501
Myxoma, right atrial
large calcified, newborn: case report (Dianzumba & Char). 177
and pulmonary embolism: case report (Keenan *et al*). 510

Nicotine, effect on production of prostacyclin in human umbilical artery (Stoel). 493
Nifedipine
compared with diltiazem in coronary artery disease (Kenny *et al*). 89 *P*
and propranolol in hypertrophic obstructive cardiomyopathy, haemodynamic effects (Landmark *et al*). 19
Notices 96, 192, 308, 416, 606

Oxford pacemaker infection trial: correspondence (Young & Smith). 306

Paced evoked response, evaluation of drug-induced changes in myocardial repolarisation (Donaldson & Rickards). 381
Papillary muscle of tricuspid valve, rupture, echocardiography: case reports (Donaldson *et al*). 291: (Nishimura *et al*). 598
Paroxysmal tachycardia, slowing, with loss of functional bundle-branch block: case report (Bauernfeind *et al*). 75
Patent ductus arteriosus, suprasternal cross-sectional echocardiography (Smallhorn *et al*). 321
Pericardial pressure, left ventricular diastolic properties, independence of changes (Odershaw *et al*). 125
Persistent ductus arteriosus, with left to right shunt in older patient (Marquis *et al*). 469
Phase analysis of first pass radionuclide angiocardiogram (Walton *et al*). 441
Physical training in ischaemic heart disease patients, influence of beta adrenergic blockade (Vanhees *et al*). 33
Posture, erect, after aortic coarctation operation, vasomotor wave and blood pressure response (Sehested & Schultze). 357
Potassium, plasma, changes, and the ECG, induced by adrenaline and effect of beta blockade (Rodger *et al*). 91 *P*
Presystolic mitral closure sound in aortic regurgitation with left ventricular hypertrophy and first degree heart block: case report (Traill & Fortuin). 78
Proceedings, British Cardiac Society, 61st Annual General Meeting, Nottingham, 14 and 15 April 1982. 87
Progesterone, endogenous, and blood pressure (Greenberg *et al*). 92 *P*
Propranolol
and labetalol in coronary heart disease, comparative haemodynamic dose response effects (Silke *et al*). 364
and nifedipine in hypertrophic obstructive cardiomyopathy, haemodynamic effects (Landmark *et al*). 19
Prostacyclin (prostaglandin E_1)
in umbilical artery, effect of nicotine on production (Stoel). 493
long-term, complications, in infants with complex heart disease (Morrell *et al*). 95 *P*
Prostaglandin E_1, effects in pulmonary hypertension of scleroderma: correspondence (Baron *et al*: Ikram). 304
Proteins, acute phase and cardiac, serum levels after myocardial infarction, surgery, and infection (Voulgari *et al*). 352
Pulmonary
artery pressure, measurement in cyanotic heart disease, using selective coronary artery cannulation techniques; case report (Dillon). 504
atresia and ventricular septal defect associated with unusual vascular ring, infant: case report (McKay *et al*). 180
embolism, massive, left ventricular function and mitral valve opening in: case report (Bullock & Hall). 413
and right atrial myxoma: case report (Keenan *et al*). 510
hypertension, captopril in (Rich *et al*). 272
captopril in, haemodynamic and hormonal effects (Ikram *et al*). 541
of scleroderma, effects of prostaglandin E_1 and other vasodilator agents (Baron *et al*: Ikram). 304
valve endocarditis, isolated, echocardiographic diagnosis: correspondence (Brown *et al*). 307
Pulsus alternans, alternating atrial electromechanical dissociation as contributing factor (Verheught *et al*). 459

R wave analysis, influence on diagnostic accuracy of exercise, women (Ilsley *et al*). 161
Radionuclide
angiography, first pass, phase analysis (Walton *et al*). 441
techniques, routine, in evaluation of suspected coronary heart disease (Thaulow). 255
Recanalisation of coronary arteries, in transmural myocardial infarction using intracoronary streptokinase (Mathey *et al*). 546
Records, cardiological, computerised (Williams *et al*). 169
Refractoriness, cardiac, effect of flecainide acetate (Hellestrand *et al*). 140
Remler M2000, ambulatory blood pressure recorder, accuracy and reliability (Fitzgerald *et al*). 572
Right bundle branch block, right, *see* Bundle branch block

Scleroderma, pulmonary hypertension, effects of prostaglandin E_1 and other vasodilator agents: correspondence (Baron *et al*: Ikram). 304
Sinus
node function in first three weeks after cardiac transplantation (Mackintosh *et al*). 584
of Valsalva-right atrial fistula after blunt thoracic trauma: case report (Rehr *et al*). 410
Situs, two-dimensional echocardiography in diagnosis (Huhta *et al*). 97
Smoking, *see also* Nicotine
Sotalol
electrophysiological effects (Nathan *et al*). 88 *P*
sudden versus gradual withdrawal in ambulant patients with ischaemic heart disease (Henderson & Errington). 552
ST segment
changes, projection on front of chest, exercise testing and ambulatory monitoring (Fox *et al*). 555
depression, precordial, in inferior myocardial infarction (Gelman & Saltups) 560
reciprocal, relation to exercise-induced ST depression (Jennings *et al*). 90 *P*
exercise heart rate relation, perfect predictor of coronary disease: editorial (Fox). 309
and exercise testing in accurate detection of coronary heart disease (Elamin *et al*). 311
Streptokinase, intracoronary, and ransmural haemorrhagic myocardial infarction (Mathey *et al*). 546
Superior vena cava, right, anomalous low insertion: case report (Freedom *et al*). 601
Surgery, serum levels of acute phase and cardiac proteins after (Voulgari *et al*). 352
Systolic
closure of aortic valve in patients with prosthetic mitral valves (Eldar *et al*). 48
P/V relation in coronary artery disease and in normal (Watkins *et al*). 39

Tachycardia
bidirectional, effects of lignocaine (Castellanos *et al*). 27
paroxysmal, slowing, with loss of functional bundle-branch block: case report (Bauernfeind *et al*). 75
'torsade de pointes', re-entry or focal activity (D'Alnoncourt *et al*). 213

Teenagers, blood pressure and haemodynamics (Hofman *et al*). 377
Tetralogy of Fallot, ventricular arrhythmia, influence of age, haemodynamic factors and surgery (Deanfield *et al*). 88 *P*
Thallium-201 imaging
  standard, compared with dipyridamole exercise in angina (Walker *et al*). 89 *P*
  myocardial, evidence of regression of right ventricular hypertrophy (Yamazaki *et al*). 372
  scintigraphy, exercise, reversible ischaemia of right ventricle detected by (Lahiri *et al*). 260.
Thrombosis, arterial, theory and practice in prevention: (Mitchell). 417
'Torsade de pointes' tachycardia, re-entry or focal activity (D'Alnoncourt *et al*). 213
Total anomalous pulmonary venous
  connection repair using deep hypothermia and circulatory arrest, 44 consecutive infants (Dickinson *et al*). 249
  return, prenatal damage to vascular bed and extrapulmonary veins (Haworth). 513
Transducer system, phased array, transoesophageal cross-sectional echocardiography with (Schlüter *et al*). 67
Transposition of great arteries
  with coarctation of aorta (Milanesi *et al*). 566
  corrected, early and late results of lesions associated with (Metcalfe & Somerville) 94 *P*
  hang-out time of pulmonary valve: correspondence (Anderson: Fouron *et al*). 302
Tricuspid
  atresia, analysis of coronary artery distribution and ventricular morphology (Deanfield *et al*). 485
  valve, papillary muscle, rupture, echocardiographic diagnosis: case report (Donaldson *et al*). 291
  regurgitation, severe, caused by Libman-Sacks endocarditis, valve replacement: case report (Laufer *et al*). 294
  stenosis, severe, presenting as tricuspid atresia, echo diagnosis, surgical management (Shore *et al*). 404
Tricuspid valve replacement in severe tricuspid regurgitation caused by Libman-Sacks endocarditis: case report (Laufer *et al*). 294

Umbilical artery, prostacyclin in, effect of nicotine on production (Stoel). 493

Vascular ring, infant, with pulmonary atresia and ventricular septal defect: case report (McKay *et al*). 180
Vasodilatation in heart failure and inotropism, interaction between (Baylis *et al*). 93 *P*
Vasodilator agents, effects in pulmonary hypertension of scleroderma: correspondence (Baron *et al*: Ikram). 304
Vasomotor wave and blood pressure response to erect posture after aortic coarctation operation (Sehested & Schultze). 357
Vena cava, right superior, anomalous low insertion (Freedom *et al*). 601
Venous return, systemic, cross-sectional echocardiography diagnosis (Huhta *et al*). 388
  see also Total anomalous pulmonary venous return
Ventricle, ventricular
  arrhythmia in tetralogy of Fallot, influence of age, haemodynamic factors, and surgery (Deanfield *et al*). 88 *P*
  left, diastolic properties, of pericardial pressure, independence of changes (Oldershaw *et al*). 125
  function, age-related changes, normal children (Sutton *et al*). 342
  in hypothyroidism, responses to exercise and beta blockade (Forfar *et al*). 278
  and mitral valve opening in massive pulmonary embolism: case report (Bullock & Hall). 413
  presystolic mitral closure sound in aortic regurgitation with, and first degree heart block: case report (Traill & Fortuin). 78
  hypertrophy, electrocardiogram, differentiation from lateral ischaemia: correspondence (Soloff: Beach *et al*). 85
  mass, volume and function, changes after surgery for chronic aortic regurgitation (Donaldson *et al*). 92 *P*
  outflow tract obstruction coexisting with ventricular septal defect (Shore *et al*). 421
  performance, evaluation during exercise by transoesophageal M-mode echocardiography, normal subjects (Matsumoto *et al*). 61
  right hypertrophy, postoperative thallium-201 myocardial images (Yamazaki *et al*). 372
  ischaemia, reversible, detected by exercise thallium-201 scintigraphy (Lahiri *et al*). 260
  obstruction, severe, caused by aneurysmal tissue tag complicating an infundibular perimembranous VSD: case report (Bonvicini *et al*). 189
  septal defect coexisting with left ventricular outflow tract obstruction (Shore *et al*). 421
  inlet, cross-sectional echocardiography in (Smallhorn *et al*). 331
  and pulmonary atresia, associated with unusual vascular ring: infant: case report (McKay *et al*). 180
  trabecular patterns, left and right, consequence of ventricular septation and valve development (Wenink *et al*). 462